

Receiving Report

Date: 9/10/13

Batch No: M/12885

Supplier: MAGNA

Dart P/O: 10550

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☐ No ☒ N/A ☐
 Shipment Complete: Yes ☒ No ☐ N/A ☐
 QC6 Inspection ☒ N/A ☐
 Work Order Adjusting N/A ☒

Discrepancies


Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12 

Production/Admin: 09/10/14
 Date 09
 Received/Costing 02
 Initial

Location

SOLD TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY , ON
K6A 1K7

SHIP TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY , ON
K6A 1K7

MTR: Y

INVOICE DATE:	10/13/09
ORDER DATE:	10/08/09
SHIP DATE:	10/13/09
ORDER NUMBER:	W019653
PURCHASE ORDER:	P010550

Currency	Sales Person	Ship Via	F.O.B.	Terms
CANADIAN DOLLARS	ERYCK BLAIS	NIR:R-557065-1	PREPAID	NET 30 DAYS

Ln	Back-Ordered	Ordered	Unit	Description	Shipped	Price Per	Value
				STAINLESS SHEET			
		3	PC	SSH 304 2B 26GA x 48" x 96" L029393 3 PC/73 LB	3 UN	60.00	180.00
		3	PC	SSH 304 2B 20ga x 48" x 96" L029413 3 PC/150 LB	3 UN	115.00	345.00
		4	PC	SSH 304 2B 18ga x 48" x 96" L030411 3 PC/202 LB L028388 1 PC/67 LB	4 UN	135.00	540.00
		4	PC	SSH 304 2B 16ga x 48" x 96" L031195 4 PC/336 LB	4 UN	170.00	680.00

10/14/09 11:47:23

Merchandise:	1,745.00
Surcharges:	
No Tax Costs:	
GST	87.25
Total Due:	1,832.25

Title to the goods sent out on this invoice remains with Magna Stainless Div of CSM ULC until such time as this invoice has been paid in full. Unless otherwise noted terms are 30 days. Interest accrues on all overdue accounts at the rate of 1.5% per month compounded monthly.

Q.S.T. # 1213236471
G.S.T. # 881565899 RT0001

Page 1 of 1

All amounts are calculated in domestic currency.

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Vendor Name		VC-MAG002	Magna Stainless								
PO10550	1		M304S16GA	sf	10/13/09	10/13/09	128.0000	\$5.31	0.0000	0	\$680.00
CAD	No		304/316 Sheet .063	sf	128.0000	Stores		\$680.00	0.0000	0	
			112885								
	2		M304S18GA	sf	10/13/09	10/13/09	128.0000	\$4.22	0.0000	0	\$539.99
	No		304/316 .050 Sheet	sf	128.0000	Stores		\$539.99	0.0000	0	
			112885								
	3		M304S20GA	sf	10/13/09	10/13/09	96.0000	\$3.59	0.0000	0	\$345.00
	No		304/316 .040 Sheet	sf	96.0000	Stores		\$345.00	0.0000	0	
			112885								
	4		M304S26GA	sf	10/13/09	10/13/09	96.0000	\$1.88	0.0000	0	\$180.00
	No		304/316 0.018	sf	96.0000	Stores		\$180.00	0.0000	0	
			SHEET								
			112885								
Total Received Quantity:											448.0000
Total Qty to Inspect (PO U/M):											0.0000
Total Reject Quantity:											0.0000
Total Receipt Value:											\$1,744.99
Total Balance Due Quantity:											0.0000



Magna Stainless

5775 Kieran St, Saint-Laurent, Quebec H4S 0A3
Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105

PACKING LIST

I017858

Page: 1 of 1

SOLD TO:
DART AEROSPACE LTD
1270 ABERDEEN STREET

SHIP TO:
DART AEROSPACE LTD
1270 ABERDEEN STREET

HAWKESBURY, ON
K6A 1K7
Contact: CHANTAL

HAWKESBURY, ON
K6A 1K7
Ship Terms: PREPAID



SPECIAL INSTRUCTIONS

Currency		Sales Person	Customer Phone	Customer Fax	Customer PO		
CANADIAN DOLLARS		ERYCK BLAIS	(613) 632-5200	(613) 632-1053	P010550		
Sales Order	Terms		Ship Via		Date Ordered	Date Required	Date Shipped
W019653	NET 30 DAYS		NIR:R-557065-1		10/08/09	10/13/09	10/13/09

Ordered	Back Ordered	Unit	Description	Bundle #	Heat #	Shipped
3		PC	STAINLESS SHEET SSH 304 2B 26GA x 48" x 96"			3
			73 LB / 3 PC	L029393	N69146	3
3		PC	SSH 304 2B 20ga x 48" x 96"			3
			150 LB / 3 PC	L029413	SC18740	3
4		PC	SSH 304 2B 18ga x 48" x 96"			4
			202 LB / 3 PC	L030411	0418904	3
			67 LB / 1 PC	L028388	SC17938	1
4		PC	SSH 304 2B 16ga x 48" x 96"			4
			336 LB / 4 PC	L031195	A2800233	4
Skids: 1				Total Weight:		828 LB

10/13/09

Received by: _____ Date: _____ Signature: _____



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO10550

Purchase Order Date 08/10/2009

PO Print Date 08/10/2009

Page Number 1 of 2

Order From :

VC-MAG002

MAGNA STAINLESS
5775 RUE KIERAN
ST LAURENT, QC H4S 0A3
CA

FAKED
Call 1100

Contact Name		Buyer	Chantal Lavoie
Vendor Phone	800 363 6646	Requisition Nbr	
Vendor Fax	514 339 1105	Tax Resale Nbr	10127-2607
Vendor Account Nbr		Terms	Net 30
		Currency	CAD
		FOB	

Ship To : DART AEROSPACE LTD 1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M304S16GA	304/316 Sheet .063 4732	13/10/2009 Yes	✓ 128.00 sf	Purolator ground	\$5.3125	\$680.00
		Special Inst:	Purch. Mat: AISI 304/316 SS Sheet ANNEALED 2B finish Spec: MIL-S-5059 or AMS 5513(304) or AMS 5524(316) or ASTM A240 or ASME SA240				
2	M304S18GA	304/316 .050 Sheet	13/10/2009 Yes	✓ 128.00 sf	Purolator ground	\$4.2187	\$539.99
		Special Inst:	SAME AS ABOVE				
3	M304S20GA	304/316 .040 Sheet 3732	13/10/2009 Yes	✓ 96.00 sf	Purolator ground	\$3.5937	\$345.00
		Special Inst:	SAME AS ABOVE				
4	M304S26GA	304/316 0.018 SHEET	13/10/2009 Yes	✓ 96.00 sf	Purolator ground	\$1.8750	\$180.00

Reg 13

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Change Nbr: 1

Change Date: 08/10/2009



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO10550

Purchase Order Date 08/10/2009

PO Print Date 08/10/2009

Page Number 2 of 2

Order From :

VC-MAG002

MAGNA STAINLESS
5775 RUE KIERAN
ST LAURENT, QC H4S 0A3
CA

Contact Name

Vendor Phone

Vendor Fax

Vendor Account Nbr

800 363 6646

514 339 1105

Buyer

Requisition Nbr

Tax Resale Nbr

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

Special Inst: SAME AS ABOVE

PO Total:

\$1,744.99

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

Change Nbr: 1

Change Date: 08/10/2009

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

POSCO Mill Test Certificate/검사증명서 MO 17117

Certificate No./증명서번호: 080910-PRSE-010-001

Date of Issue/발행일자: Sep., 16, 2008

Surface Finish/표면마무리: NO.2B

Order No./계약번호: 0003353485

PO No./주문번호: 3353485

Supplier/주문자: DAE WOO INTERNATIONAL CORP.

Commodity/품명: STAINLESS COLD ROLLED COIL

Customer/고객사: MAGNA STAINLESS INC.

Spec. & Type/규격: ASTM-A240-304

Spec & Type 규격 ASTM-A240-304																					
Size/치수	Product No. 제품번호	Quantity 수량	Weight 중량 (kg)	Heat No. 재질번호	P.O.S.T. T.O.N.	Tensile/인장시험			Hard- ness 경도		Chemical Composition/화합성분(%)										
						YS 0.2% (MPa)	TS (MPa)	EL (%)			C	Si	Mn	P	S	Cr	Ni	Cu	Mo	N	
0.90x1219x0	QGH0799A	1	4,677	SE37926	T	266	643	60	82.0		L	689	352	1065	263	55	1816	804	442	23	381
0.90x1219x0	QGH0799B	1	4,677	SE37926	B	277	649	60	83.5		L	689	352	1065	293	55	1816	804	442	23	381
*** Sub Total (110) ***			2			9,854 (kg)															
1.20x1219x0	QEH0031B	1	5,649	SC17938	T	261	651	60	82.3		L	550	392	1031	335	55	1811	804	399	15	392
1.20x1219x0	QEH0031C	1	4,190	SC17938	B	261	654	60	82.3		L	550	392	1031	335	55	1811	804	399	15	392
1.20x1219x0	QEH0031D	1	6,526	SC17938	T	261	661	60	82.3		L	550	392	1031	335	55	1811	804	399	15	392
*** Sub Total (120) ***			3			16,336 (kg)															
1.50x1219x0	QEH0030A	1	5,369	SC17797	T	285	643	58	83.7		L	532	397	1052	307	49	1802	803	368	14	439
1.50x1219x0	QEH0030B	1	5,379	SC17797	B	285	643	58	83.7		L	532	397	1052	307	49	1802	803	368	14	439
1.50x1219x0	QEH0030C	1	5,225	SC17797	T	285	643	58	83.7		L	532	397	1052	307	49	1802	803	368	14	439
*** Sub Total (130) ***			3			15,973 (kg)															
Position: L - Top, M - Middle, B - Bottom																					

Position: T: Top, M: Middle, B: Bottom

Tensile Test: Direction: Transversal, Gauge Length: 50mm (Rectangular)
Y.P. Method: 0.2% off-set

Division: L: Lab's Analysis

Chemical Composition Unit: 2x1/100, 3x1/1000, 4x1/10000, 5x1/100000

Tr: It is within the standard range (<0.008%) and include trace element.

We hereby certify that the material herein has been made in accordance with the order and specification.

Test Certificate is issued according to EN10204-3.1B.

This Mill Test Certificate cannot be copied for any purpose.

Surveyor To:

POSCO Pohang Works, 5 Dongchon-dong, Nam-gu, Pohang-si, Gyeongsangbuk-do, 790-785, Korea

Chief of material testing section Jo, Won (

W.G. Jo

MO 18855

POSCO Mill Test Certificate/검사증명서

Certificate No./증명서번호:081027-PRSE-018-001
Date of Issue/발행일자:Oct., 30, 2008
Surface Finish/표면마무리:NO.2B

Order No./계약번호:0003445692

PO No./주문번호:3445692

Supplier/주문자:DAE WOO INTERNATIONAL CORP.

Commodity/품명:STAINLESS COLD ROLLED COIL

Customer/고객사:MAGNA STAINLESS INC.

Spec & Type/규격:ASTM-A240-304

Spec & Type/규격: ASTM-A240-304																						
Size/치수	Product No. 제품번호	Quantity 수량	Weight 중량 (kg)	Heat No. 재강번호	POSITION	Tensile/인장시험			Hard- ness /경도 HRB		DIVISION	Chemical Composition/화합성분(%)										
						YS 0.2% (MPa)	TS (%)	EL (%)				C -4	Si -3	Mn -3	P -4	S -4	Cr -2	Ni -2	Cu -3	Mo -2	N -4	
0.90x1524xC	QBK0069A	1	4,995	SC19177	T	262	648	59	82.6		L	562	420	1050	280	33	1815	804	320	11	403	
0.90x1524xC	QBK0069B	1	4,995	SC19177	B	259	654	61	81.3		L	562	420	1050	280	33	1815	804	320	11	403	
*** Sub Total (010) ***			2			9,990 (kg)																
0.90x1219xC	QGJ0258BA	1	5,960	SC18740	T	273	640	58	85.3		L	505	360	1050	280	31	1835	817	370	13	442	
0.90x1219xC	QGJ0258BB	1	5,960	SC18740	B	281	648	54	86.6		L	505	360	1050	280	31	1835	817	370	13	442	
0.90x1219xC	QGH0799C	1	4,896	SE37926	T	273	640	58	85.3		L	505	360	1050	280	31	1835	817	370	13	442	
0.90x1219xC	QGH0799C	1	4,896	SE37926	B	281	648	54	86.6		L	505	360	1050	280	31	1835	817	370	13	442	
*** Sub Total (020) ***			3			15,816 (kg)					L	639	352	1065	293	55	1816	804	442	23	381	
1.50x1524xC	QBK0171A	1	6,341	SC19146	T	273	637	57	83.1		L	587	410	1130	310	31	1819	803	350	10	348	
1.50x1524xC	QBK0171C	1	6,810	SC19146	B	273	637	57	83.0		L	587	410	1130	310	31	1819	803	350	10	348	
*** Sub Total (030) ***			2			13,151 (kg)																
1.50x1219xC	QEJ1008A	1	5,952	SC19200	T	281	636	56	83.8		L	558	410	1040	320	38	1811	806	330	11	372	
					B	285	644	55	85.2													

* Position - T : Top, M : Middle, B : Bottom
* Tensile Test. Direction : Transversal. Gauge Length : 50mm(Rectangular).
YP Method : 0.2% off-set
* Division - L:Ladle Analysis
* Chemical Composition Unit: -2:x1/100, -3:x1/1000, -4:x1/10000, -5:x1/100000
* Tr : It is within the standard range(<0.008%) and include trace element.

We hereby certify that the material herein has been made in accordance with the order and specification.

ORIGINAL

Test Certificate is issued according to EN10204 3.1B.
* This Mill Test Certificate cannot be copied for any purpose.

Surveyor To:

POSCO Pohang Works, 5 Dongchon-dong, Nam-gu, Pohang-si, Gyeongsangbuk-do, 790-785, Korea

Chief of material testing section Jo, Won Gook

Mill Certificate



Customer : ASA ALLOY
 Order No : 807090251
 Steel Grade : TYPE304
 State of Delivery : SOLUTION TREATED

Changwon Works
 P.O BOX 95, changwon,korea
 Telefax:055-268-4133

Inspection No : 20080821100422
 Specification : ASTM-A240/480
 Edition : 2006b
 Date of Issue : AUG.04.2008

No	Case No.	Work No.	Dimension			Surf-ace	Quan-tity	Weight (KG)	Heat No.	Chemical Composition(%)											
										C	Si	Mn	P	S	Ni	Cr	Mo	N			
			Thickness (mm)	Width (mm)	Length (mm)																
1	C-0112	C08339111-B00	0.500	1219	COIL	2B		7,446	N69146	0.08	0.75	2.00	0.045	0.030	10.50	20.00		0.1000			
2	C-1901	C0833A202-B00	0.500	1219	COIL	2B		7,997	N70816	.07	.51	.78	.034	.013	8.02	18.10		.0220			
3																					
4																					
5																					
6																					
7																					
8																					

No	Test No.	Mechanical Properties					
		Yield Strength		Tensile Strength	Elonga-tion	Hard-ness	Direction
		0.2%	1.0%		%	(HRB)	
		(MPa)					
		Max				92	
		Min	205	515	40		
1	9111-1	286		666	63	84	TRANS
2	A202-1	293		680	63	86	TRANS
3							
4							
5							
6							
7							
8							

Remark	
본 검사 증명서에 명시된 규격 용도와 사용시 안전상의 문제가 발생할 수 있으며, 검사 증명서 위.변조시 사문서 위조(형법231조)로 불이익을 당하실 수 있습니다.	
We hereby certify, that the Material described above has been tested and complies with the terms of the order contract.	

Changwon Works:
 66, Shinchon-Dong, Changwon, Kyungnam, Korea. 641-370
 Ulsan Works:
 250, Yecheon-Dong, Namgu, Ulsan, Korea. 680-090

E. S. KIM
 Manager of Quality Assurance Section
 686676988

MILL TEST REPORT

TA CHEN INTERNATIONAL CORPORATION
www.tachen.com

This MTR contains 1 page (Page: 1)

MTR#: TXCL1728 Customer#: MAGDOR PO#: P006322 SO#: PE6923
Item#: 18CA48963042B Bundle#: H295150900 Heat#: 0418904

P006322_0418904

TXCL1728

A company
of ThyssenKrupp
Stainless

ThyssenKrupp Mexinox



TEST REPORT (CERTIFICADO)

CUSTOMER (CLIENTE)

MEXINOX USA

MILL ORDER No. No. DE PEDIDO	4546 - 8	PACKAGE (EMPAQUE) No. H2951509	00
CUSTOMER PURCHASE ORDER No.	L26123	DATE (FECHA)	JUN-11-09
CODE PART NUMBER		REPORT (CERTIFICADO) No.	EJ3902

PRODUCT IDENTIFICATION
IDENTIFICACION DEL PRODUCTO

ITEM No.	COIL No. No. DE ROLLO	PIECES PIEZAS	HEAT COLADA No.	TYPE AND FINISH TIPO Y ACABADO	DIMENSIONS DIMENSIONES	GROSS WT. PESO BRUTO	NET WT. PESO NETO
1	693399 AGAA	46	0418904	304 / 2B UNS S30400	48.00 X 96.00 X .0480 1219.20 X 2438.40 X 1.220	3,034 1,376	2,862 1,298

CHEMICAL COMPOSITION
COMPOSICION QUIMICA (%)

ITEM	C	Cr	Mn	N	NI	P	S	SI	OTHER ELEMENTS (OTROS ELEMENTOS)					
1	.0480	18.0400	1.3000	.0450	8.0600	.0280	.0010	.3700						

MECHANICAL PROPERTIES
PROPIEDADES MECANICAS

ITEM No.	TEST No. No. MUESTRA	D	TENSILE S. R. TENSION	YIELD S. R. FLUENCIA	ELONGATION ALARGAMIENTO	HARDNESS DUREZA HRB
1	A755778 A755778	L	92679 psi 639 MPa	44961 psi 310 MPa	61.2	(HEAD) 83.0 / 83.0

THIS MATERIAL IS DYARS 225.872-1 CLAUSE COMPLIANT. HEAT SOURCE: ITALY

THIS MATERIAL COMPLIES WITH CHEMICAL COMPOSITION ACCORDING TO ASTM A 240/A 240M-08 STD. NOM, AND IT COMPLIES ALSO WITH THE MECHANICAL AND CHEMICAL PROPERTIES ESTABLISHED IN THE FOLLOWING STDS. :
ARMX 8A240-95, QQ-S-766-D, MIL-S-5059-D, AMS 5513G.

THIS MATERIAL IS FREE OF MERCURY CONTAMINATION



We hereby certify that in recognition of the terms and conditions set forth in the EU RoHS Directive -2002/95/EC, we can insure that all of our products and processes fully comply with it.

HECHO EN MEXICO / MADE IN MEXICO

ELABORATED BY
Jose Luis Vazquez Mata

PRINTED: 13:48:16 JUL-10-09

FORMATO No. 38 - 027 - 02 Rev 2



INSPECTION CERTIFICATE

7324691
TUC2122

**Shanxi Taigang Stainless Steel CO.,LTD Member
of Taiyuan Iron and Steel (Group) Co.,LTD**

NO.2 jiancaoping,Taiyuan,Shanxi,P.R.China

TEL: (0351)3013328 FAX: (0351)3017816

http://www.tisco.com.cn

E_mail: tgbxg@tisco.com.cn

MILL TEST CERTIFICATE

CERTIFICATE NO. T08-692B

MATERIAL AISI304 NO.2B FINISH

SPECIFICATION ASTM A240-04/A480-04, ASME SA-240/A480
ASTM A666, AMS 5613/5511

L/C No.

CUSTOMER

CONTRACT NO.

DATE OF ISSUE

Ta Chen International, Inc.

L22628

20080401

Product

Melting furnace

Inspectors stamp

Mark of the Manufacturer

SHEET

E+VOD



Shanxi Taiyuan Stainless Steel Co.,Ltd

NO.	Heat No.	Coil No.	Batch No.	Quantity	Dimensions (inch)	Weight(Pound)
50	A2800233	KA80261160J10H1	78255692	1	16GA x 48" x 96	4226
51	A2800233	KA80261160J20H3	78255694	1	16GA x 48" x 96	4248
52	A2800233	KA80261160J10H2	78255696	1	16GA x 48" x 96	4248
53	A2800233	KA80261160J20H2	78255700	1	16GA x 48" x 96	4303
54	A2800233	KA80261130F10H4	78255864	1	16GA x 48" x 96	3973
55	A2703845	KA80181530F10H1	78252411	1	14GA x 48" x 120	4707
56	A2703845	KA80181530F10H2	78252414	1	14GA x 48" x 120	4442

Chemical Composition

Heat No.	C	Si	Mn	P	S	Cr	Ni	Cu	Al	N	Mo	Ti
A2800233	0.042	0.491	1.143	0.026	0.002	18.337	8.012	0.119		0.007	0.093	
A2800233	0.042	0.491	1.143	0.026	0.002	18.337	8.012	0.119		0.007	0.093	
A2800233	0.042	0.491	1.143	0.026	0.002	18.337	8.012	0.119		0.007	0.093	
A2800233	0.042	0.491	1.143	0.026	0.002	18.337	8.012	0.119		0.007	0.093	
A2800233	0.042	0.491	1.143	0.026	0.002	18.337	8.012	0.119		0.007	0.093	
A2703845	0.043	0.538	1.234	0.027	0.002	18.164	8.050	0.218		0.004	0.114	
A2703845	0.043	0.538	1.234	0.027	0.002	18.164	8.050	0.218		0.004	0.114	

Mechanical Properties (Test temperature :20℃)

Test No.	Tensile Rm N/mm ²	R _{p0.2} Yield _{0.2%} N/mm ²	R _{p1.0} Yield _{1.0%} N/mm ²	Elongation		Corrosion Tests	Hardness		
				A5 (%)	A50 (%)		HRB	HV	HRC
78255692-T	640	293			54		87.5		
78255694-T	640	293			54		87.5		
78255696-T	640	293			54		87.5		
78255700-T	640	293			54		87.5		
78255864-T	645	292			53		88.0		
78252411-T	640	299			55		86.5		
78252414-T	640	299			55		86.5		

SPECTROMETER SORTING TEST: OK
EN 10204-3.1B

Place: Taiyuan

Work Inspector: 李忠新



Chantal Lavoie

From: Eryck Blais [eblais@magnastainless.com]
Sent: October 8, 2009 11:43 AM
To: 'Chantal Lavoie'
Subject: RE: QUOTE

ALL STOCK
THANK YOU
ERYCK

From: Chantal Lavoie [mailto:clavoie@dartaero.com]
Sent: Thursday, October 08, 2009 9:44 AM
To: Eryck Blais
Subject: QUOTE

Please advise price & delivery on material.

304 sheet 16ga x 128 sf 4 PCS 170.00 EA

304 sheet 18ga x 128 sf 4 PCS 135.00 EA

304 sheet 20ga x 96 sf 3 PCS 115.00 EA

304 sheet 26ga x 96sf 3 PCS 60.00 EA

~~304 square tubing seamless 1/2" x 1/2" x .040" or in between .049" wall NO STOCK~~

Thanks
Chantal

5,312.5 sq.
170.5 pounds